


Windows, doors and screenings without thermal break


forsterpresto[®]
forsternorm[®]

In steel and stainless steel



forster

STEEL AND STAINLESS STEEL PROFILE SYSTEMS







Steel
Stainless steel


forsterpresto®

Robust and elegant
System Forster presto
for doors, windows
and screenings without
thermal break


Forster presto 50



Forster presto 60



Forster presto 60S



Forster presto is the complete profile system with fittings and accessories for flush-fitting single- and double-leaved inside doors, glazed walls, porches and windows which do not require thermal break.

Decisive advantages

Special touches thanks to variations in materials

- Steel
- Stainless steel, grinded, 220-240 grain

High degree of aesthetic appeal

- Thanks to extremely slender visible section widths (frame/leaf section measurement only 120 mm) and individual surface treatment.

Performance

- These elements stand for elegance and safety and satisfy the most stringent requirements with regard to extreme constant stress.
- For inside doors, glazed walls and porches.
- CE-Marking according to EN 14351-1.

Locks and fittings

- Fittings to match the system.
- Attractively shaped stainless steel handle set and slender weld-on door hinges as well as concealed hinges.
- Concealed door-closing systems.

Safety and protection


- Smoke-resistant doors RS-1/RS-2 according to DIN 18095
- Smoke-resistant doors and screenings R30 (CH)
- Fire-resistant doors and screenings E30-E120 / EW30-EW60
- Metal sheet tubular frame door E30
- Burglar-resistant doors RC 1-3 according to EN 1627-1630
- Bullet proof doors M3-SA

Creativity

- Everything designed to harmonise: thanks to the identical visible section width of the profiles, the same accessories and fittings can be used as for the systems Forster unico and Forster fuego light.
- Extremely economical manufacture with no special equipment.





You can obtain further information about specific approvals in various countries from our technical advisers or from your local Forster distributor.

Steel



Low-cost and versatile
System Forster norm
for doors, windows and glazed
areas without thermal break

Forster norm



The Forster norm profile assortment is suitable for the construction of doors, screenings and windows without thermal break. The right choice of profiles enables you to build many different kinds of conventional casement windows or window bands, as well as doors and partition walls.

Decisive advantages

Performance

- Forster norm is remarkable for its huge assortment of profiles in a range of section depths. Consequently, endless combinations are possible.
 - Section depths: 34, 40, 50, 60 and 80 mm
 - Case widths: from 10 to 155 mm
- CE-Marking according to EN 14351-1.

Locks and fittings

- Both fittings made to match the system and usual commercial fittings can be used.

Creativity

- The variety of profiles means that your creativity knows no bounds.
- Steel is both traditional and in tune with the times.



forster presto®
forster norm®



forster
STEEL AND STAINLESS STEEL PROFILE SYSTEMS

Forster Profile Systems
P.O. Box 400
CH-9320 Arbon
Tel. +41 71 447 43 43
Fax +41 71 447 44 78
forster.profile@afg.ch
www.forster-profile.ch



A company in the

AFG
Arbonia-Forster-Holding AG

908364/10012682/2'000/03-11